



## ▶ Main performance and characteristics of the product

SAK/JXB series terminal blocks use German connecting technology, design and manufactured in China according to IEC60947-1, G814048.1 standard. Add high-current type to this series.

- 1.1 Reasonable installation design, it can be installed on both G type and TH type rail.
- 1.2 Full types of small sizes, can connect bigger size wires.
- 1.3 The block base color is yellow and grey. Earthing wire color is green and yellow. It is modern and beautiful.



## ▶ Main technical data

Type	Conductor size (mm <sup>2</sup> )	Rated current (A)	Rated voltage (V)	Dimensions mm		
				A	B	C
SAK2.5EN	0.2-2.5	24	800	46.5	41	6
SAK4EN	0.2-4	32	800	52	42	6.5
SAK6EN	0.2-6	41	800	52	42	8
SAK10EN	0.2-10	57	800	52	42	8
SAK16EN	0.5-16	76	800	52	42	12
SAK35EN	10-35	125	800	57.5	50	18
SAK70/35	25-70	192	800	87	88.4	27

Type	Conductor size (mm <sup>2</sup> )	Rated current (A)	Rated voltage (V)	Dimensions mm		
				A	B	C
EK2.5/35	0.2-2.5	24	800	40	56	6
EK4/35	0.2-4	32	800	44	56	7
EK6/35	0.2-6	41	800	44	56	8
EK10/35	0.5-10	57	800	44	56	10
EK16/35	0.5-16	76	800	50	56	12
EK35/35	10-35	125	800	60	58	18

Type	Conductor size (mm <sup>2</sup> )	Rated current (A)	Rated voltage (V)	Dimensions mm		
				A	B	C
JXB-2.5/35	0.2-2.5	26	750	42.5	41	6
JXB-4/35	0.2-4	34	750	45	45	6.5
JXB-6/35	0.2-6	44	750	45	45	8
JXB-10/35	0.5-10	61	750	45	45	10
JXB-16/35	0.5-16	76	750	53.5	50	12
JXB-35/35	10-35	125	750	63	58	18
JXB-50/35	10-50	150	1000	83.5	78.5	20
JXB-95/35	10-95	232	1000	97.5	83	25.2
JXB-150/35	10-150	309	1000	119	100	31